

Stoeger AIRGUNS reserves the right to make modifications to the products shown in this catalogue at any time without prior notice. The finishings shown in this catalogue are approximate, as a printed reproduction causes inevitable colour differences.

- Art Direction
- 3D Visualizat
- Digital post production

PHILOSOPHY

A rifle from Stoeger AIRGUNS is exclusive, sensual, provocative and always unmistakably Italian. In fact all the Stoeger AIRGUNS models are entirely, idealized and designed in Italy. Stoeger AIRGUNS has always been the creator of dynamic and unrivaled rifles.

The new XM1 has a cutting-edge, distinct and streamlined design with multiple souls: sporty, elegant and innovative.

Stoeger AIRGUNS rifles are incomparable through their blend of:

Fascinating design
Supreme shooting ergonomics
Innovative Style
Technological capability
Quality











USER INTERACTION STUDY







- GRIP LEVEL 1 HARD: **HEXACELL**
- GRIP LEVEL 2 SOFT: THRIDION
- ▲ SUPPORT VOLUME



FUNCTIONAL ERGONOMICS





























XM1



320 m/s - 1050 fps











XM1 - TECHNICAL FEATURES







PRO ADAPTIVE TRIGGER Progressive regulation of the trigger length (-4 mm +8 mm)



PRO ADAPTIVE LENGTH Length of pull adjustable with color spacers for optimal comfort checkering for maximum grip




ERGONOMIC BOLT LEVER With exclusive THRIDION



LEFT SIDE PICATINNY RAIL Multi-use Picatinny rail integrating Top view of the left side picatinny a rack for 3 spare magazines



and the right side picatinny



Single-shot tray

0 . 0

200 BAR/2900 psi fill pressure / Integrated manometer (pressure gauge) 9 shot magazine in cal.4,5/.177 7 shot magazine in cal.5,5/.22 magazine

Accessories Rifle, Magazine, Adapter, O-ring, in the box MGS kit, Picatinny

Suggested for Small game hunting / target practice

XM1 - COMBO

Included with the rifle





PATENTED S4 SUPPRESSOR

The new Patented S4 SUPPRESSOR is the latest Stoeger AIRGUNS design evolution of the integral silencer system, combines the DUAL-EFFECT of the baffles and decompression chamber and now the additional compensator technology.

The new **XM1** incoporates the most advanced technology to reduce the noise better than ever. **The best in its class.**





S4 Suppressor System



320 m/s - 1050 fps



of integral silencer S4 cumulating baffles and compensators.













PRO ADAPTIVE LENGTH Length of pull adjustable with color spacers for optimal comfort checkering for maximum grip




Tech Design

ERGONOMIC BOLT LEVER With exclusive THRIDION



LEFT SIDE PICATINNY RAIL Multi-use Picatinny rail integrating Top view of the left side picatinny a rack for 3 spare magazines and the right side picatinny






PRO ADAPTIVE TRIGGER Progressive regulation of the trigger length (-4 mm +8 mm)



PRO SERVICING Removable silencer cover for easy access to the pressure gauge



			Single-shot tray Rotary magazine Adapter		Right side picatinny Left side picatinny		Base cheekpied Monte Ca raised cheekpied
XM1 S4 S	SUPPRESSOR - TECHNICAL FEATURES						
Caliber	4,5 mm /.177 - 5,5 mm /.22		Finish	Black S	Synthetic - Rifle	ed, blued steel barrel	Cylinder
Power source	Precharged pneumatic (PCP) with integrated regulator	Scope for con	1bo 4x32 \	with high powe	er mount	size	
Cocking system	Bolt-action System - Repeater		Total length	45 in.	/ 1.146 mm		Rotary
Trigger	Trigger Stoeger Adjustable Sliding Trigger System (short position: -4 mm; long position: +8 mm) Barrel length 281/2 in. / 725 mm		magazine				
Safety	Manual		Weight	2,6 Kg	y without scope	9	Accessor
Front sight	Interchangeable front sight with red fiber-optic		Velocity cal. 4	5 mm Up to	320 m/s (10	50 fps)	included in the box
Rear sight	Fully adjustable fiber-optic rear sight		Velocity cal. 5	5 mm Up to	274 m/s (900	O fps)	Suggester

Human Tech Design Synt. Stock - Ergonomic Features - MGS Technology - Ambidextrous Stock Design Suppressor

200 BAR/2900 psi fill pressure / Integrated manometer (pressure gauge) 9 shot magazine in cal.4,5/.177

Included with the rifle

.....

XM1 S4 SUPPRESSOR

XM1 S4 SUPPRESSOR - COMBO

ine 7 shot magazine in cal.5,5/.22

sories Rifle, Magazine, d Adapter, O-ring, MGS kit, Picatinny

Suggested for Small game hunting / target practice









305 m/s - 1000 fps

RX20 - PERFECT FEELING

Innovation, Technology and Style are the three principles behind a fully new concept. Stoeger AIRGUNS designer's challenge has been to develop and implement something













∼ Human Tech Design







Multi Grip System - Black ProAdaptive Checkering

special that could convey new emotions. The unique design and ergonomic shapes makes the air rifle fit perfectly to the shooter.























RX20 53	S SUPPRESSUR / RX20 SPURI / RX20 DYNAMIC - TECHNICAL FEATURES		
Caliber	4,5 mm /.177 - 5,5 mm /.22	Finish	Black Synthetic Hardwood - Rifled, blued steel barrel
Power source	Spring or Gas Ram and Piston	Rail for scope	Integral dovetail scope rail on receiver
Cocking system	Break-action breech-loader with ergonomic cocking grip	Scope for combo	4x32 with high power mount
Trigger	Stoeger AIRGUNS Adjustable trigger T2 - double stage	Total length	S3 Suppressor / Sport: 44 in. / 1.122 mm - Dynamic: 42 ^{1/2} in. / 1.080 mm
Safety	Automatic, ambidextrous safety mounted on back of receiver	Barrel length	S3 Suppressor: 14 in./366,7 mm - Sport: 18 in./461,8 mm - Dynamic: 16 ^{1/2} in./419,7 mm
Front sight	Interchangeable front sight (S3 Suppressor, Sport) Hooded front sight with a red and orange, fiber-optic	Weight	3 Kg without scope
Rear sight	Fiber-optic, fully adjustable for elevation and windage	Velocity cal.4,5 m	m with alloy pellet: 360 m/s - 1200 fps - Velocity cal.4,5 mm with lead pellet: 305 m/s - 1000 fps
Stock	Human Tech Design Stock with ProAdaptive Checkering and Multi Grip System MGS	Velocity cal.5,5 m	ım with lead pellet: 240 m/s - 800 fps

Safety Button with ProAdaptive Checkering

Recoil absorbing pad with ProAdaptive anti slip checkering

Adjustable T2 double stage trigger

with red and orange fiber optic

Interchangeable front sight (S3 Suppressor - Sport)

Blue and Orange embossed





Stoeger Airguns is a Beretta Group brar



200 m/s - 660 fps



RX5 - COMPACT PERFORMANCE

Human Tech Design philosophy translated to a compact and light, easy to handle air rifle with RX aesthetics and functional innovations – to approach the world of air rifles and fun outdoor shooting.



Safety Button with ProAdaptive Checkering



Recoil absorbing pad with ProAdaptive anti slip checkering



Front sight with fiber optic

RX5 - TECHNICAL FEATURES 4,5 mm /.177 - 5,5 mm /.22 Finish Black Synthetic | Hardwood - Rifled, blued steel barrel Rail for scope Power source Spring piston Integral dovetail scope rail on receiver Cocking system Break-action breech-loader with ergonomic cocking grip **Scope for combo** 4x32 with high power mount Trigger Double stage - factory set Total length 41 in. / 1.030 mm Safety 16^{1/2} in./420 mm Automatic, ambidextrous safety mounted on back of receiver Barrel length 2,4 Kg without scope Front sight Hooded front sight with a red, fiber-optic insert Weight Rear sight Fiber-optic, fully adjustable for elevation and windage Velocity cal.4,5 mm with alloy pellet: 245 m/s - 810 fps - Velocity cal.4,5 mm with lead pellet: 200 m/s - 660 fps Stock Human Tech Design Stock with ProAdaptive Checkering Velocity cal.5,5 mm with lead pellet: 150 m/s - 500 fps









305 m/s - 1000 fps





PRECISION AND POWER

- Fixed barrel single shot for optimal precisionBarrel and cylinder a solidly assembled in one strong unit
- Flip-up magazine
- Strong air compression
 Blasting pellet at high velocity
 Automatic safety





SINGULAR PERSONALITY

Smart and designed to place leisure and fun at the heart of the precision shooting experience. The **F40** rifle has been designed for those who seek the utmost style and comfort - ergonomics of the stock - easy under lever cocking - adjustable double stage trigger - adjustable sights with fiber optic inserts - combo version with Stoeger AIRGUNS original 3-9x40 AO scope and one piece mount.



Cocking



Loading



Closing



Safety



Adjustable double stage

Automatic

Hardwood

3-9x40 A0

Barrel Length 16 1/2 in. / 420 mm 3,1 Kg

43 in. / 1090 mm



Recoil absorbing

Trigger

Safety

Stock

Optics

Total Length

Adjustable trigger

Cal. 4,5 mm with alloy pellet: 360 m/s - 1200 fps Cal. 4,5 mm with lead pellet: 305 m/s - 1000 fps

ATAC THE TACTICAL ATTITUDE

305 m/s - 1000 fps





Less Vibration



ATAC	TS ² / ATAC T ² - TECHNICAL FEATURES			
Caliber	er 4,5 mm /.177 5,5 mm /.22			
Trigger	Adjustable double stage			
Safety	Automatic			
Stock	Black Synthetic			
Optics	COMBO 3-9X4O AO			
Total Leng	th 43 in./1.080 mm Barrel Length 16 ^{1/2} in./420 mm			
Weight	Veight 3,2 Kg			
Velocity	Cal. 4,5 mm with alloy pellet: 360 m/s - 1200 fps Cal. 4,5 mm with lead pellet: 305 m/s - 1000 fps Cal. 5,5 mm with lead pellet: 240 m/s - 800 fps			









110 m/s - 360 fps

XP4 - BLACK SYNTHETIC



by our lineage of firearm expertise. The XP4 lines have been conceived for an easy ambidextrous handling. Composite corrosion free frame technology for light and extremely attractive ergonomic. The **XP4** caliber 4,5mm / .177 adopts the recoiless single shot pre-compressed technology for optimal shooting comfort and accuracy. Double stage trigger. Automatic safety. Precision sights with adjustable windage and elevation rearsight and fiber optic inserts for maximum visibility. Integral slide and underneath rails for laser devices, flash lighters or other type of accessories.



Front sight with fiber optic - Slide integral mounting rail



Rail underneath the barrel



Automatic safety Double stage trigger



Adjustable rearsight with fiber optic insert

XP4 - TEC	HNICAL FEATURES
Caliber	4,5 mm /.177
Safety	Automatic
Stock	Black Synthetic
Total Length	9.7 in. / 246 mm
Barrel Length	6.7 in. / 170 mm
Weight	1,2 Kg
Velocity	Cal. $4,5$ mm with alloy pellet: 130 m/s - 410 fps Cal. $4,5$ mm with lead pellet: 110 m/s - 360 fps



ATAC THE MILITARY FEELING

305 m/s - 1000 fps



and baffles that work in tandem to reduce noise better

PATENTED

than any other air rifle on the market. Assembled

on a CNC machined breach for perfect adjustment.

Less Vibration



ATAC T	S ² / ATAC T ² - TECHNICAL FEATURES	
Caliber	4,5 mm /.177 5,5 mm /.22	
Trigger	Adjustable double stage	
Safety	Automatic	
Stock	Green Synthetic	
Optics	COMBO 3-9X40 AO	
Total Length	43 in./1.080 mm Barrel Length 16 ^{1/2} in./420 mm	
Weight	3,2 Kg	
Velocity	Cal. 4,5 mm with alloy pellet: 360 m/s - 1200 fps Cal. 4,5 mm with lead pellet: 305 m/s - 1000 fps Cal. 5,5 mm with lead pellet: 240 m/s - 800 fps	







110 m/s - 360 fps







Front sight with fiber optic - Slide integral mounting rail



Rail underneath the barrel

with adjustable windage and elevation rearsight and fiber optic inserts

for maximum visibility. Integral slide and underneath rails for laser

devices, flash lighters or other type of accessories.



Automatic safety Double stage trigger



Adjustable rearsight with fiber optic insert

XP4 - TECHNICAL FEATURES			
Caliber	4,5 mm /.177		
Safety	Automatic		
Stock	Green Synthetic		
Total Length	9.7 in. / 246 mm		
Barrel Length	6.7 in. / 170 mm		
Weight	1,2 Kg		
Velocity	Cal. 4,5 mm with alloy pellet: 130 m/s - 410 fps Cal. 4,5 mm with lead pellet: 110 m/s - 360 fps		









140 m/s - 450 fps










360 m/s - 1200 fps









Rear sight with fiber optic



Front sight with fiber optic



Rubber pad



Adjustable trigger



X50 - TECHNICAL FEATURES		
Caliber	4,5 mm /.177 5,5 mm /.22	
Trigger	Adjustable double stage	
Safety	Automatic	
Stock	Black Synthetic Hardwood	
Optics	3-9x40 A0	
Total Length	50 in. / 1.270 mm	
Barrel Length	19 ^{1/4} in. / 490 mm	
Weight	4,1 Kg	
Velocity	Cal. 4,5 mm with alloy pellet: 440 m/s - 1500 fps Cal. 4,5 mm with lead pellet: 360 m/s - 1200 fps Cal. 5,5 mm with lead pellet: 280 m/s - 950 fps	









FOR MAXIMAL
EFFICIENCY WITH
X50 MAGNUM
POWER

Accessories













4x32 scope

4x32 compact scope with illuminated reticle



1x30 red dot

High power mount



Magnum scope mount



Mount for Picatinny rail

ATAC TS2 - ATAC T2 ACCESSORIES



High precision COMBO 3-9X40 AO scope with MIL DOT reticle



Bi-pod legs for side rail adjustable and foldable



Sling - adjustable




add or removed to adjust length of pull (LOP)



Butt stock spacer - can be Soft case SAG 120 XL with side pocket



Target trap



Target

Spinning target



Soft case SAG 120 / SAG 130 - Blue

Stoeger AIRGUNS

XM1 ACCESSORIES



Hand pump





9 shot magazine - cal. 4,5/.177 7 shot magazine - cal. 5,5/.22



Bi-pod legs for side rail adjustable and foldable



Right side picatinny Left side picatinny



Soft case SAG 120 / SAG 130 - Brown



Soft case SAG 120 XL / SAG 130 XL - Black

34

Pellets





ACCURACY TO MEET EVERY REQUIREMENT FOR AIR RIFLES

Every shooter has specific requirements for his airgun when it comes to the ammunition. Our finely classified programme with a wide range of pellet shapes and weights will satisfy every need. Accuracy is a combination of several variables, the quality of the pellets is most important. Stoeger AIRGUNS pellets are Made in Germany with high tech technology.

PRACTICE TARGET

Lightweight accurate pellet for training and hobby shooting. Meets all underlying requirements. For universal use, at an extremely favourable price.

Cal. 4,5mm /.177 and 5,5mm /.22





SUPER ACCURATE

Extremely accurate competition and training pellet for performance-oriented shooters. Tight shot groups, clean-cut bullet holes, excellent value for money. Cal. 4,5mm /.177 and 5,5mm /.22





GREAT PENETRATION

Medium-weight, very accurate pellet for hunting and precision shooting at medium ranges.

Aerodynamic design for flat trajectories and perfect penetration.

Cal. 4,5mm /.177 and 5,5mm /.22





MAX PENETRATION

Heavy, exceptionally accurate pellet for long ranges. No lead-fouling, improved drive in barrel, no contact with lead thanks to special copper coating (20% harder than comparable lead pellets). First-class aerodynamic design for high impact and penetration.

Low deformation of pellet. Tight shot groups.

Cal. 4,5mm /.177 and 5,5mm /.22





MAX SHOCK

Heavy, accurate hunting pellet for medium ranges. High impact and penetration with maximum shock effect, with blood grooves. Cal. 4,5mm /.177 and 5,5mm /.22





HIGH SHOCK, MAX IMPACT

Heavy, exceptionally accurate hunting pellet for long ranges. Advanced X-HOLLOW design with deep hollow point and best aerodynamic properties for maximum impact, high penetration and controlled deformation of pellet. Tight shot groups. Cal. 4,5mm /.177 and 5,5mm /.22









6-PACK 4.5mm /.177 DIFFERENT PELLETS

Test all our premium pellets in your airgun and choice the most appropriate for you:

- Velocity
- Shock effect
- Penetration

X-MATCH (40 Pellets) - X-POWER (35 Pellets)
X-MAGNUM (30 Pellets) - X-HOLLOW (30 Pellets)
X-HUNT (40 Pellets) - X-SPORT (40 Pellets)

36